

**CLAIM AMENDMENTS**

Claims 1-20 (Canceled).

Claim 21 (new): A seat belt massager for detachably fastening on a seat belt, comprising:

a massager body which has a message portion defining an inner treatment surface;

a massaging device supported on said message portion of said massager body and communicated with said treatment surface in such manner that said massaging device is adapted to effectively deliver massage impulse to an exterior of said massager body only through said treatment surface; and

a seat belt fastening arrangement provided on said massager body for detachably fastening said massager body on said seat belt, wherein said seat belt fastening arrangement comprises at least one seat belt fastener comprising first and second elongated fastening straps frontwardly extended from said massager body wherein two end portions of said fastening straps are adjustably and overlappedly communicating with each other to define a connecting loop within said two fastening straps and said massager body, such that said seat belt is adapted to slidably pass through said connecting loop so as to fasten with said massager body, wherein said seat belt fastener comprises means for adjustably and detachably connecting said two end portions of said two fastening straps in said overlappedly communicating manner for defining said respective connecting loop of said seat belt fastener.

Claim 22 (new): The seat belt massager, as recited in claim 21, wherein said massager body further has a receiving pocket formed on said message portion, and defining an access opening which communicates said receiving pocket with an exterior of said message body wherein said massaging device is disposed in said receiving pocket via said access opening.

Claim 23 (new): The seat belt massager, as recited in claim 21, wherein said massager device comprises a message generating unit comprising a driving motor and a message actuator centrifugally mounted thereto in such a manner that said message actuator is adapted to be driven to rotate centrifugally by said driving motor so as to

generate a massage impulse towards said treatment surface which communicates with a user's body.

Claim 24 (new): The seat belt massager, as recited in claim 22, wherein said massager device comprises a massage generating unit comprising a driving motor and a massage actuator centrifugally mounted thereto in such a manner that said massage actuator is adapted to be driven to rotate centrifugally by said driving motor so as to generate a massage impulse towards said treatment surface which communicates with a user's body.

Claim 25 (new): The seat belt massager, as recited in claim 21, wherein said connecting means of said seat belt fastener comprises a loop fastener and a hoop fastener affixed on said two ends portions of said two fastening straps respectively, and are adapted to overlappedly, adjustably and detachably fasten with each other so as to define said connecting loop for said seat belt passing therethrough.

Claim 26 (new): The seat belt massager, as recited in claim 22, wherein said connecting means of said seat belt fastener comprises a loop fastener and a hoop fastener affixed on said two ends portions of said two fastening straps respectively, and are adapted to overlappedly, adjustably and detachably fasten with each other so as to define said connecting loop for said seat belt passing therethrough.

Claim 27 (new): The seat belt massager, as recited in claim 23, wherein said connecting means of said seat belt fastener comprises a loop fastener and a hoop fastener affixed on said two ends portions of said two fastening straps respectively, and are adapted to overlappedly, adjustably and detachably fasten with each other so as to define said connecting loop for said seat belt passing therethrough.

Claim 28 (new): The seat belt massager, as recited in claim 24, wherein said connecting means of said seat belt fastener comprises a loop fastener and a hoop fastener affixed on said two ends portions of said two fastening straps respectively, and are adapted to overlappedly, adjustably and detachably fasten with each other so as to define said connecting loop for said seat belt passing therethrough.

Claim 29 (new): The seat belt massager, as recited in claim 27, wherein said massager device further comprises a power supply disposed in said receiving pocket and electrically connected with said massage generating unit of said massage device for providing electrical power thereto, wherein said power supply comprises a battery holder

securely mounted in said receiving pocket for receiving at least one battery therein for providing said electrical power.

Claim 30 (new): The seat belt massager, as recited in claim 28, wherein said massager device further comprises a power supply disposed in said receiving pocket and electrically connected with said message generating unit of said message device for providing electrical power thereto, wherein said power supply comprises a battery holder securely mounted in said receiving pocket for receiving at least one battery therein for providing said electrical power.

Claim 31 (new): The seat belt massager, as recited in claim 29, wherein said massager device further comprises a control switch electrically connected between said power supply and said message generating unit for switching said message generating unit to operate at a predetermined level, and is arranged to be access by a user through said access opening.

Claim 32 (new): The seat belt massager, as recited in claim 30, wherein said massager device further comprises a control switch electrically connected between said power supply and said message generating unit for switching said message generating unit to operate at a predetermined level, and is arranged to be access by a user through said access opening.

Claim 33 (new): The seat belt massager, as recited in claim 31, wherein said massager body further comprises a flipping cover movably provided thereon for normally and overlappedly covering said receiving pocket so as to hide said massager device from being directly exposed to an exterior of said massager body.

Claim 34 (new): The seat belt massager, as recited in claim 32, wherein aid massager body further comprises a flipping cover movably provided thereon for normally and overlappedly covering said receiving pocket so as to hide said massager device from being directly exposed to an exterior of said massager body.

Claim 35 (new): The seat belt massager, as recited in claim 33, wherein said massager body further comprises a cushion layer, which is made of pliable materials, attached on a rear side of said massager body for providing a cushioning effect thereof.

Claim 36 (new): The seat belt massager, as recited in claim 34, wherein said massager body further comprises a cushion layer, which is made of pliable materials, attached on a rear side of said massager body for providing a cushioning effect thereof.

Claim 37 (new): The seat belt massager, as recited in claim 33, wherein said massager body is fabricated by fabric materials which is sufficiently flexible for effectively transmitting said massaging impulse from said massage generating unit to said user via said treatment surface while maximizing a comfort of said seat belt massager to said user.

Claim 38 (new): The seat belt massager, as recited in claim 34, wherein said massager body is fabricated by fabric materials which is sufficiently flexible for effectively transmitting said massaging impulse from said massage generating unit to said user via said treatment surface while maximizing a comfort of said seat belt massager to said user.